





S.I.M.E
A.E.

| CODE | Dn1 | Dn2 | D | L1 | L2 | L3 | L | H |
|---|---|---|---|---|---|---|---|---|
| 12ERDE2520 | 25 | 20 | 36 | 40 | 37 | 62 | 85 | 57 |
| 12ERDE3220 | 32 | 20 | 43 | 43 | 37 | 69 | 85 | 64,5 |
| 12ERDE3225 | 32 | 25 | 44 | 39,5 | 39,5 | 70 | 84,5 | 64,5 |
| 12ERDE4020 | 40 | 20 | 52,5 | 48 | 40 | 79,5 | 95 | 74 |



ITEM: ERDE

C:\Vault_Temp\Disegni\Schede Tecniche\Elofit metric\Electrofusion fittings\EL10147.dwg

DESC: RIDUZIONE ELETTROSALDABILE
ELECTROFUSION REDUCER
PE100 SDR11 PFA/PN16

DRAWING No: EL10147

SHEET OF 1 3


REV. -3

www.nupiindustrieitaliane.com - info@nupinet.com

All dimensions have to be considered in millimeters with 5% tolerance if not otherwise mentioned excluding values as per standard EN 1555 (gas) and/or EN 12201 (water)

All right reserved - Drawing cannot be reproduced in anyway, failure todo so will entitle nupigeco to legal action. Information on this document are subject to change without notice

| CODE | Dn1 | Dn2 | D | L1 | L2 | L3 | L | H |
|---|---|---|---|---|---|---|---|---|
| 12ERDE4032 | 40 | 32 | 55 | 47 | 42 | - | 95 | 74 |
| 12ERDE5032 | 50 | 32 | 64 | 49,5 | 41,5 | - | 100 | 85 |
| 12ERDE5040 | 50 | 40 | 64 | 49,5 | 47,5 | - | 103 | 85 |
| 12ERDE6332 | 63 | 32 | 81,5 | 55,5 | 42 | - | 118 | 99 |
| 12ERDE6340 | 63 | 40 | 81,5 | 55 | 45 | - | 118 | 99 |
| 12ERDE6350 | 63 | 50 | 81,5 | 55,5 | 50 | - | 118 | 99 |
| 12ERDE7563 | 75 | 63 | 97 | 60 | 57 | - | 125 | 114 |
| 12ERDE9050 | 90 | 50 | 117 | 72 | 49 | - | 142 | 133,5 |
| 12ERDE9063 | 90 | 63 | 115 | 68 | 62 | - | 150 | 131 |
| 12ERDE9075 | 90 | 75 | 116 | 73,5 | 65 | - | 152,5 | 131 |
| 12ERDE1163 | 110 | 63 | 135 | 72,5 | 63 | - | 160 | 150,5 |
| 12ERDE1190 | 110 | 90 | 135 | 73 | 68,5 | - | 158 | 150,5 |
| 12ERDE1263 | 125 | 63 | 150 | 76 | 65 | - | 162,5 | 167 |
| 12ERDE1290 | 125 | 90 | 150 | 80 | 70 | - | 160 | 167 |
| 12ERDE1211 | 125 | 110 | 156 | 70 | 71,5 | - | 161 | 167 |
| 12ERDE1690 | 160 | 90 | 192 | 81 | 72 | - | 177 | 207 |
| 12ERDE1611 | 160 | 110 | 192 | 81 | 77 | - | 182 | 207 |
| 12ERDE1612 | 160 | 125 | 186 | 76 | 73,5 | - | 179 | 201 |






S.I.M.E.

ITEM: ERDE

C:\Vault_Temp\Disegni\Schede Tecniche\Elofit metric\Electrofusion fittings\EL10147.dwg

DESC: RIDUZIONE ELETTROSALDABILE
ELECTROFUSION REDUCER
PE100 SDR11 PFA/PN16

DRAWING No: EL10147


SHEET OF 2 3

REV. -3

www.nupiindustrieitaliane.com - info@nupinet.com


All dimensions have to be considered in millimeters with 5% tolerance if not otherwise mentioned excluding values as per standard EN 1555 (gas) and/or EN 12201 (water)

All right reserved - Drawing cannot be reproduced in anyway, failure todo so will entitle nupigeco to legal action. Information on this document are subject to change without notice




| CODE | Dn1 | Dn2 | L1 | L2 | L | H |
|---|---|---|---|---|---|---|
| 12ERDE2016 | 200 | 160 | 113 | 102 | 225 | 250 |
| 12ERDE2018 | 200 | 180 | 113 | 112 | 235 | 250 |
| 12ERDE2216 | 225 | 160 | 124 | 103 | 255 | 278 |
| 12ERDE2218 | 225 | 180 | 124 | 112 | 255 | 278 |
| 12ERDE2220 | 225 | 200 | 124 | 113 | 255 | 278 |
| 12ERDE2518 | 250 | 180 | 124 | 113 | 255 | 278 |
| 12ERDE250200 | 250 | 200 | 119 | 98 | 242 | 305 |
| 12ERDE2522 | 250 | 225 | 135 | 125 | 275 | 308 |
| 12ERDE3125 | 315 | 250 | 120 | 120 | 270 | 390 |
| 12ERDE3128 | 315 | 280 | 155 | 130 | 295 | 390 |

S.I.M.E A.E.



ITEM: ERDE

C:\Vault_Temp\Disegni\Schede Tecniche\Elofit metric\Electrofusion fittings\EL10147.dwg

DESC: RIDUZIONE ELETTROSALDABILE
ELECTROFUSION REDUCER
PE100 SDR11 PFA/PN16

DRAWING No: EL10147

SHEET OF 3 3

REV. -3

www.nupiindustrieitaliane.com - info@nupinet.com

All dimensions have to be considered in millimeters with 5% tolerance if not otherwise mentioned excluding values as per standard EN 1555 (gas) and/or EN 12201 (water)

All right reserved - Drawing cannot be reproduced in anyway, failure todo so will entitle nupigeco to legal action. Information on this document are subject to change without notice